

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:GJZ-9-131

## Trophic Ecology and Behavioral Pattern of the Vizcachera Owl, *Athene cunicularia* Molina, 1782 (Strigiformes: Strigidae) in an Urban Environment in Southern Santa Fe province, Argentina

Published On: November 12, 2024 | Pages: 010 - 018

Author(s): Rimoldi Pablo G\* and Scuderi Marianela

This study investigates the trophic ecology and behavioral patterns of *Athene cunicularia* in Funes, Santa Fe, Argentina, during 2023-2024. Observations were made of two individuals throughout the four seasons of the year, recording a total of 16 hours of behavior. The results revealed that the owl showed a varied diet composed of 946 prey items identified in 134 pelle ...

[Abstract View](#) [Full Article View](#) [DOI: 10.17352/giz.000031](#)

[Open Access](#) [Research Article](#) PTZAID:GJZ-9-130

## Common Hippopotamus, *Hippopotamus Amphibian* (Linnaeus, 1758) in the Kouoptamo Subdivision-Cameroon

Published On: October 18, 2024 | Pages: 005 - 009

Author(s): Miantzia Fokam Olivier\* and Nsangou Moussa Jamy

The Kouoptamo subdivision is one of the localities of the Noun Division that adjoins the Noun River. It served as a study area because of the presence of hippopotamus. This study carried out from January to July 2017, aimed to contribute to the sustainable management of wildlife by improving the observation of hippopotamuses (*Hippopotamus amphibius*) along the Noun Riv ...

[Abstract View](#) [Full Article View](#) [DOI: 10.17352/giz.000030](#)

Short Note

## First record of *Damalinia caprae* (Gurlt, 1843) and *Linognathus africanus* (Kellogg and Paine, 1911) (Insecta: Phthiraptera) in small ruminants from Cuajinicuilapa, Guerrero, Mexico

Published On: April 05, 2024 | Pages: 001 - 004

Author(s): Yaleidi Herrera-Rojas, Gabriela Alvarado-Rodríguez, Citlali Estefania Sollano-Mendieta, Mario Antonio Mendoza-Nuñez and Vicente Homero González-Álvarez\*

This study reports for the first time the lice species infesting small ruminants of three communities of Cuajinicuilapa, Guerrero, Mexico. The lice were manually collected from sheep and goats, deposited in vials containing 70% alcohol, and transported to the Parasitology Laboratory at the Facultad de Medicina Veterinaria y Zootecnia N° 2. For identification, the spec ...

[Abstract View](#)

[Full Article View](#)

[DOI: 10.17352/gjz.000029](#)